





10400985

AVITAL  **ONDAVA**






Manufactured for
HORNBACH-Baumarkt-AG
Hornbachstrasse 11
76879 Bornheim/Germany
(20210524 V01)




1


1




2







3



1











2






J x1




I x2















	Ⓓ Empfohlen Ⓘ Consigliato Ⓢ Rekommenderat ⓀⓈ Odporúčané	Ⓕ Recommandé ⓃⓁ Aanbevolen ⒸⓏ Doporučeno ⓇⓄ Recomandat	Ⓓ Höchstens Ⓘ Massimo Ⓢ Maximal ⓀⓈ Maximum	Ⓕ Maximum ⓃⓁ Maximum ⒸⓏ Maximum ⓇⓄ Maxim
Ⓓ Betriebsdruck Ⓕ Pression de fonctionnement Ⓘ Pressione di esercizio ⓃⓁ Bedrijfsdruk Ⓢ Driftstryck ⒸⓏ Provozní tlak ⓀⓈ Prevádzkový tlak ⓇⓄ Presiunea de funcționare	0.5-5 bar		10 bar	
Ⓓ Wassertemperatur Ⓕ Température de l'eau Ⓘ Temperatura dell'acqua ⓃⓁ Watertemperatuur Ⓢ Vattentemperatur ⒸⓏ Teplota vody ⓀⓈ Teplota vody ⓇⓄ Temperatura apei	55-65 °C		90 °C	
Ⓓ Wasseranschluss Ⓕ Raccordement d'eau Ⓘ Allaccio acqua ⓃⓁ Watertoevoer Ⓢ Vattenanslutning ⒸⓏ Vodní přípojka ⓀⓈ Vodná prípojka ⓇⓄ Racord de apă	Ⓓ warm = links / kalt = rechts Ⓕ chaude = à gauche/froid = à droite Ⓘ calda = sinistra / fredda = destra ⓃⓁ warm = naar links / koud = naar rechts Ⓢ varmt == vänster / kallt = höger ⒸⓏ teplá = vlevo/studená = vpravo ⓀⓈ teplá = vľavo / studená = vpravo ⓇⓄ cald = stânga / rece = dreapta			