Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: EUROM STEEN & GEVELREINIGER
- · Article number: 15260005
- · **UFI:** Q0UJ-Y08A-T00E-9VX4
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages

C Consumer use

PW Widespread use by professional workers

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category

PROC10 Roller application or brushing

PROC11 Non industrial spraying

- · Article category AC30 Other articles with intended release of substances
- · Technical function Cleaning agent
- · Application of the substance / the mixture Cleaning agent
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Manufacturer:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011 @: info@zep.co.uk

web: www.zep.co.uk

Distributed in EU by:

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117 Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395

@: info@zepbenelux.com

ZEP ITALIA SRL

Piazzale Luigi Cadorna, 2 - Milano - (MI)

20123 Milano (MI) - Italy;

Via Nettunense Km. 25.000

04011 Aprilia (LT) - Italy

T: +39.06.926691

F: +39.06.92747061

@: tecnico@zepeurope.com

Sito: www.zep.it

· Further information obtainable from:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· 1.4 Emergency telephone number:

NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)

emergency number (europe): 112

NPIC: +353 (0) 1 809 2166 (public) (NI or Ireland); +353 (0) 1 809 2566 (Healthcare professional) (NI or Ireland)

Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

Trade name: EUROM STEEN & GEVELREINIGER

(Contd. of page 1)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



GHS05

- · Signal word Danger
- Hazard-determining components of labelling:

Alcohols, C9-11, ethoxylated

disodium dioxido(oxo)silane pentahydrate

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P102 Keep out of reach of children. P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

- 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 5131-66-8 EINECS: 225-878-4 Index number: 603-052-00-8 Reg.nr.: 01-2119475527-28-xxxx	1-butoxypropan-2-ol Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-5%
CAS: 68439-46-3 EC number: 931-514-1 Reg.nr.: Polymer	Alcohols, C9-11, ethoxylated Eye Dam. 1, H318 Acute Tox. 4, H302	≥3-≤5%
CAS: 10213-79-3 EC number: 600-279-4 Reg.nr.: 01-2119449811-37-xxxx	disodium dioxido(oxo)silane pentahydrate Met. Corr.1, H290; Skin Corr. 1B, H314 STOT SE 3, H335	≥2.5-<5%
CAS: 1300-72-7 EINECS: 215-090-9 Reg.nr.: 01-2119513350-56-xxxx	Sodium xylenesulphonate Eye Irrit. 2, H319	1-2.5%

· Additional information:

Ingredients according to Detergents Regulation 648/2004/EC

Nonionic surfactants, Anionic surfactants <5%

Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

Trade name: EUROM STEEN & GEVELREINIGER

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

Immediately rinse with water.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Carbon dioxide

Dry sand

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Keep contaminated washing water and dispose of appropriately.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Do not store together with oxidising and acidic materials.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

Trade name: EUROM STEEN & GEVELREINIGER

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
CAS: 5131	-66-8 1-butoxypropan-2-ol	
Oral	DNEL Long term-systemic	8.75 mg/kg human/day (consumer)
Dermal	DNEL Acute-systemic	44 mg/kg human/day (consumer)
		16 mg/kg human/day (worker)
	DNEL Long term-systemic	16 mg/kg human/day (consumer)
		44 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m3	33.8 mg/m3 (consumer)
	DNEL Acute-systemic mg/m3	270.5 mg/m3 (worker)

· PNECs

CAS: 5131-66-8 1-butoxypropan-2-ol

PNEC Freshwater mg/L	0.525~mg/L
PNEC Marinewater mg/L	0.0525 mg/L
PNEC Freshwater sediment	2.36 mg/Kg
PNEC Marine water sediment	0.236 mg/Kg
PNEC Intermittent release	5.25 (mg/l) 0.16 mg/Kg
PNEC Soil	0.16 mg/Kg
$PNEC$ Sewage treatment $Plant\ mg/L$	10 mg/L

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- · Eye/face protection Tightly sealed goggles
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information
- Physical state
 Colour:
 Odour:
 Characteristic

(Contd. on page 5)

Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

Trade name: EUROM STEEN & GEVELREINIGER

	(Contd. of page
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not available. Reason for lack of data: Not relevant for product characterisation
· Boiling point or initial boiling point and boiling range	100 °C
Flammability	Not applicable.
· Lower and upper explosion limit	N . I I
· Lower:	Not determined. Not determined.
· Upper: · Flash point:	Not applicable.
· Auto-ignition temperature:	Not applicable. 260 °C
Decomposition temperature:	Not defined. Reason for lack of data: Not relevant for product
- · · · · · · · · · · · · · · · · · · ·	characterisation
· pH at 20 °C	13
· Viscosity:	
Kinematic viscosity	Not available. Reason for lack of data: Not relevant for product characterisation
· Dynamic:	Not available. Reason for lack of data: Not relevant for product characterisation
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not applicable. Reason for lack of data: The product is a mixture.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density Density at 20 °C:	1.02 a/am³
· Belative density	1.02 g/cm³ Not available Reason for lack of data: Not relevant for product
Remuve uensuy	characterisation
· Vapour density	Not determined.
· 9.2 Other information · Appearance:	
Form:	Liquid
Important information on protection of health and	2.4
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
	Not determined.
Swiss VOC:	5.00 %
Solids content:	6.8 %
Change in condition	Not determined.
Evaporation rate	noi determined.
Information with regard to physical hazard classes	77 . 1
Explosives	Void
Elammahla gasas	Void Void
Flammable gases	voia Void
· Aerosols	voia Void
	Void
Oxidising gases	Void
8.8	Void
· Gases under pressure	Void
	Void
Flammable liquids	Void
71 11 11	Void
· Flammable solids	Void Void
Self-reactive substances and mixtures	Void Void
sey-reactive substances and mixtures	voia Void
Pyrophoric liquids	Void Void
- y. opnore equals	Void
Pyrophoric solids	Void
	Void
Self-heating substances and mixtures	Void
	Void

Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

Trade name: EUROM STEEN & GEVELREINIGER

		(Contd. of page 5
· Substances and mixtures, which emit flo	ımmable gases in	
contact with water	Void	
	Void	
· Oxidising liquids	Void	
•	Void	
· Oxidising solids	Void	
o .	Void	
· Organic peroxides	Void	
3 1	Void	
· Corrosive to metals	Void	
	Void	
· Desensitised explosives	Void	
,	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Do not store together with oxidising and acidic materials.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:
ATE (Acute Toxicity Estimates)

Oral	LD50	10,000 mg/kg

CAS: 51	131-66-8	1-butoxyn	ropan-2-ol
			Ų

Oral	LD50	3,300 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
	EC 50 / 96 h (static)	>1,000 mg/ltr (algae)

CAS: 10213-79-3 disodium dioxido(oxo)silane pentahydrate

Oral LD50 >1,000 mg/kg (Rat)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:	
CAS: 5131-66-8 1-bi	utoxypropan-2-ol
LC50 / 96 h (static)	560-1,000 mg/ltr (fish) (Poecilia reticulata)
EC 50 / 48 h (static)	>1,000 mg/ltr (Daphnia magna (water flea))

(Contd. on page 7)

Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

Trade name: EUROM STEEN & GEVELREINIGER

OECD test 301 E 90 (biodegradation in % after 28 days)

CAS: 10213-79-3 disodium dioxido(oxo)silane pentahydrate

LC50 / 96 h > 200 mg/ltr (Daphnia magna (water flea))

- 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Do not allow product to reach ground water, water course or sewage system.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- · Recommendation: Disposal in accordance with administrative provisions

1/1 IN 1		
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
· · · · · · · · · · · · · · · · · · ·	v oia	
14.2 UN proper shipping name	17 • 1	
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	to IMO	
instruments	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg (EC) n. 648/2004 - Detergents

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2020/878 annex II of REACH;

Dir. 06/08 ADR – RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

(Contd. on page 8)

Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

Trade name: EUROM STEEN & GEVELREINIGER

(Contd. of page 7)

National regulations - UK:

Regulation (EC) No 1272/2008 (CLP) amended by GB CLP (UK SI 2019/720 as amended).

REACH Regulation (EC) No 1907/2006, amended by UK REACH (UK SI 2019/758 as amended).

Health and Safety at Work Act

The Control of Substances Hazardous to Health (COSHH) Regulations

UK Waste (Circular Economy) (Amendment) Regulations 2020

- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

Alcohols, C9-11, ethoxylated

disodium dioxido(oxo)silane pentahydrate

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P102 Keep out of reach of children. P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment

 Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 9)

Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

Trade name: EUROM STEEN & GEVELREINIGER

(Contd. of page 8)

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

· Department issuing SDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Date of previous version: 28.09.2022

· Version number of previous version: 5

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

WELL: The highest acceptable concentration

IOELV: Indicative occupational exposure limit values

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

(Contd. on page 10)

Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

Trade name: EUROM STEEN & GEVELREINIGER

(Contd. of page 9)

Annex: Exposure scenario

· Short title of the exposure scenario

Finished product

Zep® Driveway, Concrete & Masonry Cleaner

Stone Shampoo Detergent

B&Q Patio and Driveway Cleaner

Terras & Oprit Reiniger/Nettoyant Terrasse et Allée

Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

• Product category PC35 Washing and cleaning products (including solvent based products)

· Process category

PROC10 Roller application or brushing

PROC11 Non industrial spraying

- · Article category AC30 Other articles with intended release of substances
- · Technical function Cleaning agent
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use According to directions for use.
- · Duration and frequency 5 workdays/week.
- · Worker Regular use with short-time exposure.
- · Environment

Outdoor use

The undiluted product must not enter the sewage system or the aquatic environment.

· Physical parameters

The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.

- · Physical state Fluid
- · Concentration of the substance in the mixture Not applicable.
- · Used amount per time or activity

Smaller than 250 g per application.

According to directions for use.

- · Other operational conditions Observe the general safety regulations when handling chemicals.
- Other operational conditions affecting environmental exposure

Observe section 6 of the Safety Data Sheet (Accidental release measures).

Other operational conditions affecting worker exposure

Do not ingest.

Avoid contact with eyes.

Avoid contact with the skin.

- · Other operational conditions affecting consumer exposure Keep out of the reach of children.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- $\cdot \textit{Technical protective measures} \ \textit{No special precautions are necessary if used correctly}.$
- · Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

protective gloves

· Measures for consumer protection

Keep locked up and out of the reach of children.

Ensure adequate labelling.

- · Environmental protection measures
- · Water Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
- $\cdot \textit{\textbf{Disposal measures}} \ \textit{Disposal in accordance with administrative provisions}$
- · Disposal procedures

Dispose of uncleaned packaging with household waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Liquid product residues
- · Exposure estimation
- · Consumer

Not relevant for this Exposure Scenario.

The highest inhalative exposure to be expected for consumers is . ppm.

The highest dermal exposure to be expected for consumers is . mg / kg / day.

The highest oral exposure to be expected for consumers is . mg / kg / day.

(Contd. on page 11)

Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.09.2024 Version: 6 (replaces version 5) Revision: 24.09.2024

Trade name: EUROM STEEN & GEVELREINIGER

(Contd. of page 10)

· Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

No further relevant information available.

EII